Revision nr. 8 Winkler Srl Dated 13/05/2022 Printed on 16/05/2022 **SCUDO SYSTEM** Page n. 1/14 Replaced revision:7 (Dated: 22/04/2021)

Safety Data Sheet
According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SCUDO SYSTEM Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use resistant waterproofing paste for foundation walls.

Identified Uses	Industrial	Professional	Consumer
Liquid applied waterproofing membrane	-	~	-
		•	
1.3. Details of the supplier of the safety data shee	•		
Name	Winkler Srl		
Full address	via Michelangelo Buonarrot	fi 15	
District and Country	20093 Cologno Monzese (M		
,	Italia	,	
	Tel. +39 02 26700605		
	Fax		
e-mail address of the competent person			
, ,			
responsible for the Safety Data Sheet	laboratorio@winklerchimica	a.com	
1.4. Emergency telephone number			
For urgent inquiries refer to	United Kingdom		
	999/112 emergency		
	111 non-emergency medica	al number	
	` • ,		
	NHS Direct (Wales)		
	999/112 emergency	al number	

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878. Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

SCUDO SYSTEM

Revision nr. 8

Dated 13/05/2022 Printed on 16/05/2022

Page n. 2/14

Replaced revision:7 (Dated: 22/04/2021)

Signal words:

Hazard statements:

EUH210 Safety data sheet available on request.

EUH208 Contains: Mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl -2Hisothiazol-3-one (3: 1), 1,2-Benzisothiazol-3

(2H) -one

May produce an allergic reaction.

Precautionary statements:

VOC (Directive 2004/42/EC) :

One - pack performance coatings.

VOC given in g/litre of product in a ready-to-use condition: ≤140,00 Limit value: 140,00

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

EC -

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

1,2-Benzisothiazol-3 (2H) -one

CAS 2634-33-5 $0 \le x < 0.05$ Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317,

Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411 EC 220-120-9

Skin Sens. 1 H317: ≥ 0,05%

INDEX 613-088-00-6 STA Oral: 500 mg/kg

Mixture of: 5-chloro-2-methyl- 2Hisothiazol-3-one and 2-methyl -

2Hisothiazol-3-one (3: 1)

INDEX 613-167-00-5

CAS 55965-84-9 $0.00015 \le x <$

0.0015

Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1,

Aquatic Chronic 1 H410 M=1, EUH071, EUH208

EUH208: ≥ 0,00015%, Skin Sens. 1A H317: ≥ 0,0015%

STA Oral: 100 mg/kg, STA Dermal: 50,001 mg/kg, STA Inhalation

mists/powders: 0,051 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

Revision nr. 8 Winkler Srl Dated 13/05/2022 Printed on 16/05/2022 **SCUDO SYSTEM** Page n. 3/14 Replaced revision:7 (Dated: 22/04/2021)

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Winkler SrI Revision nr. 8 Dated 13/05/2022 SCUDO SYSTEM Printed on 16/05/2022 Page n. 4/14 Replaced revision:7 (Dated: 22/04/2021)

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

1,2-Benzisothiazol-3 (2H) -one Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,011	mg/l	
Normal value in marine water	0,001	mg/l	
Normal value for fresh water sediment	0,0499	mg/kg/d	
Normal value for marine water sediment	0,00499	mg/kg/d	
Normal value for water, intermittent release	0,403	mg/l	
Normal value of STP microorganisms	1,03	mg/l	

Health - Derived no-ef	fect level - DNEL / [OMEL						
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation				1,2 mg/m3				6,81 mg/m3
Skin				0,34 mg/kg bw/d				0,966 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Winkler SrI Revision nr. 8 Dated 13/05/2022 SCUDO SYSTEM Printed on 16/05/2022 Page n. 5/14 Replaced revision:7 (Dated: 22/04/2021)

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	paste	
Colour	black	
Odour	characteristic	
Melting point / freezing point	Not determined	
Initial boiling point	Not determined	
Flammability	not flammable	
Lower explosive limit	Not determined	
Upper explosive limit	Not determined	
Flash point	Not determined	
Auto-ignition temperature	Not determined	
Decomposition temperature	Not determined	
рН	9	
Kinematic viscosity	Not determined	
Solubility	miscible in water	
Partition coefficient: n-octanol/water	Not determined	
Vapour pressure	Not available	
Density and/or relative density	1,2 g/cm3	
Relative vapour density	Not determined	

SCUDO SYSTEM

Revision nr. 8

Dated 13/05/2022

Printed on 16/05/2022

Page n. 6/14

Replaced revision:7 (Dated: 22/04/2021)

Particle characteristics

Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Total solids (250°C / 482°F)

72,00 %

VOC (Directive 2010/75/EU)

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Revision nr. 8 Winkler Srl Dated 13/05/2022 Printed on 16/05/2022 **SCUDO SYSTEM** Page n. 7/14 Replaced revision:7 (Dated: 22/04/2021) Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available **ACUTE TOXICITY** Not classified (no significant component) ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) Mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl -2Hisothiazol-3-one (3: 1) LD50 (Dermal): > 2000 mg/kg Metodo di calcolo STA (Dermal): 50,001 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) LD50 (Oral): > 2000 mg/kg ratto LC50 (Inhalation mists/powders): > 5 mg/l/4h metodo di calcolo SKIN CORROSION / IRRITATION Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION Does not meet the classification criteria for this hazard class RESPIRATORY OR SKIN SENSITISATION

Window Cul	Revision nr. 8
Winkler Srl	Dated 13/05/2022
SCUDO SYSTEM	Printed on 16/05/2022
SCODO STOTEM	Page n. 8/14
	Replaced revision:7 (Dated: 22/04/2021)
May produce an allergic reaction. Contains: Mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl -2Hisothiazol-3-one (3: 1) 1,2-Benzisothiazol-3 (2H) -one	
Respiratory sensitization	
Information not available	
Skin sensitization	
Information not available	
GERM CELL MUTAGENICITY	
Does not meet the classification criteria for this hazard class	
CARCINOGENICITY	
Does not meet the classification criteria for this hazard class	
REPRODUCTIVE TOXICITY	
Does not meet the classification criteria for this hazard class	
Adverse effects on sexual function and fertility	
Information not available	
Adverse effects on development of the offspring	
Information not available	
Effects on or via lactation	

Winkler Srl	Dated 13/05/2022
SCUDO SYSTEM	Printed on 16/05/2022
COODS STOTEM	Page n. 9/14
	Replaced revision:7 (Dated: 22/04/2021)
Information not available	
STOT - SINGLE EXPOSURE	
Does not meet the classification criteria for this hazard class	
Target organs	
Information not available	
Route of exposure	
Information not available	
STOT - REPEATED EXPOSURE	
Does not meet the classification criteria for this hazard class	
Target organs	
Information not available	
Route of exposure	
Information not available	
ASPIRATION HAZARD	
Does not meet the classification criteria for this hazard class	
11.2. Information on other hazards	
Based on the available data, the product does not contain substances listed in the main European lists of potential or human health effects under evaluation.	suspected endocrine disruptors with

SECTION 12. Ecological information

Winkler SrI Revision nr. 8 Dated 13/05/2022 Printed on 16/05/2022 Page n. 10/14 Replaced revision:7 (Dated: 22/04/2021)

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Mixture of: 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl -2Hisothiazol-3-one (3: 1)

LC50 - for Fish

> 0,28 mg/l/96h pesce bluegill

EC50 - for Crustacea

> 0,16 mg/l/48h dafnia

EC50 - for Algae / Aquatic Plants

> 0,18 mg/l/72h alghe

12.2. Persistence and degradability

Petroleum distillates, charcoal, vegetable extracts: they are mixtures of paraffinic, naphthenic, diterpenic and aromatic hydrocarbons. Their behaviour on the environment depends on the concentration. In each case use, according to good working practices, avoiding disposal in the environment. As a rule, the product is poorly biodegradable.

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

Winkler Srl	Revision nr. 8		
Willikiel Oli	Dated 13/05/2022		
SCUDO SYSTEM	Printed on 16/05/2022		
SCODO STOTEM	Page n. 11/14		
	Replaced revision:7 (Dated: 22/04/2021)		
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.			
14.1. UN number or ID number			
Not applicable			
14.2. UN proper shipping name			
Not applicable			
The applicable			
14.3. Transport hazard class(es)			
Not applicable			
14.4. Packing group			
17.7. I doking group			
Not applicable			
14.5. Environmental hazards			
Not applicable			
14.6. Special precautions for user			
Not applicable			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
45.1. Safety, health and environmental regulations/legislation enesitie for the substance or winter			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU: None			

SCUDO SYSTEM

Revision nr. 8

Dated 13/05/2022 Printed on 16/05/2022

Page n. 12/14

Replaced revision:7 (Dated: 22/04/2021)

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

VOC (Directive 2004/42/EC):

One - pack performance coatings.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2 Acute toxicity, category 2
Acute Tox. 3 Acute toxicity, category 3
Skin Corr. 1C Skin corrosion, category 1C
Eye Dam. 1 Serious eye damage, category 1
Skin Sens. 1A Skin sensitization, category 1A

SCUDO SYSTEM

Revision nr. 8

Dated 13/05/2022 Printed on 16/05/2022

Page n. 13/14

Replaced revision:7 (Dated: 22/04/2021)

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

H310 Fatal in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

Fatal if inhaled.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains <name of sensitising substance>. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

LEGEND:

H330

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

Revision nr. 8 Winkler Srl Dated 13/05/2022 Printed on 16/05/2022 **SCUDO SYSTEM** Page n. 14/14 Replaced revision:7 (Dated: 22/04/2021)

- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP) 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.